SEO Fix Guide

https://www.dermaclinix.in/about.html
Audit #185 · 2026-04-27 11:53 · Overall 69/100

Total issues: **31** · High: **5** · Medium: **19** · Low: **7**

High (5)

High | Page speed | Priority 83/100 | Medium (~45m)

Largest Contentful Paint

Poor: 4.31s.

Generic best practice

Largest Contentful Paint should load within 2.5s. Optimise the largest above-the-fold element: compress hero images, preload critical assets, and eliminate render-blocking resources.

Code fix

Before:

```
<img src="hero.jpg">
```

After:

```
<link rel="preload" as="image" href="hero.webp">
<img src="hero.webp" fetchpriority="high" width="1200" height="600" alt="...">
```

High | Meta | Priority 78/100 | Trivial (~5m)

Meta description present

No meta description found.

Location

Line **4** · `html > head`

```
     3
>    4  <head> <meta charset="UTF-8">
     5      <title>About Expert Skin & Hair Clinic in Delhi-Derma Clinix</title>
```

Generic best practice

Add a meta description (120-160 characters) summarising the page. It appears under the title in search results and directly affects click-through rate.

Code fix

Before:

```
<head>
  <!-- no meta description -->
</head>
```

After:

```
<head>
  <meta name="description" content="Compelling 120-160 character summary describing what's on this page and why
a user should click.">
</head>
```

High Images Priority 73/100 Easy (~15m)

Images have dimensions

Only 0/26 images have explicit dimensions.

Location

Line **94** · `header > div.container-menu-desktop > div.wrap-menu-desktop > nav.limiter-menu-desktop > a.logo > img`

```
    93                      <a href="https://www.dermaclinix.in/" class="logo">
>   94                          <img src="https://www.dermaclinix.in/images/logo.webp" alt="Derma Clinix">
    95                      </a>
```

Generic best practice

Set explicit width/height on every <img> to prevent Cumulative Layout Shift. Browser reserves the box before the image loads.

Code fix

Before:

```
<img src="photo.jpg" alt="...">
```

After:

```
<img src="photo.jpg" width="800" height="600" alt="...">
```

High Meta Priority 65/100 Easy (~15m)

OpenGraph image present

Missing <meta property="og:image">.

Location

Line **4** · `html > head`

```
    3
>   4  <head> <meta charset="UTF-8">
    5      <title>About Expert Skin & Hair Clinic in Delhi-Derma Clinix</title>
```

Generic best practice

Add an Open Graph image so links to this page render as a rich card on social platforms. Use 1200x630 px, JPEG/PNG, under 1MB.

Code fix

Before:

```
<head>
  <!-- no og:image -->
</head>
```

After:

```
<head>
  <meta property="og:image" content="https://yoursite.com/og-image.jpg">
  <meta property="og:image:width" content="1200">
  <meta property="og:image:height" content="630">
</head>
```

High Schema Priority 62/100 Medium (~45m)

JSON-LD structured data present

No JSON-LD scripts found.

Generic best practice

Add structured data (JSON-LD) so search engines understand your content type. Schema can trigger rich results — stars, prices, FAQs — that increase click-through rate.

Code fix

Before:

```
<!-- no JSON-LD -->
```

After:

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "Article",
  "headline": "Page title",
  "author": {"@type": "Person", "name": "Author name"},
  "datePublished": "2026-01-01"
}
</script>
```

Medium (19)

Medium Page speed Priority 68/100 Easy (~15m)

Cumulative Layout Shift

Needs improvement: 0.12.

Generic best practice

Cumulative Layout Shift should be under 0.1. Set explicit width/height on images, reserve space for embeds and ads, and avoid late-loading fonts that re-flow text.

Code fix

Before:

```
<img src="photo.jpg">
```

After:

```
<img src="photo.jpg" width="800" height="600" alt="...">
```

Medium Technical Priority 66/100 Easy (~15m)

Canonical URL present

No canonical link tag found.

Location

Line **4** · `html > head`

```
     3
>    4  <head> <meta charset="UTF-8">
     5      <title>About Expert Skin & Hair Clinic in Delhi-Derma Clinix</title>
```

Generic best practice

Add a canonical link to prevent duplicate-content issues. It tells search engines which URL is the authoritative version of this page.

Code fix

Before:

```
<head>
  <!-- no canonical -->
</head>
```

After:

```
<head>
  <link rel="canonical" href="https://www.dermaclinix.in/about.html">
</head>
```

Medium · Page speed · Priority 64/100 · Medium (~45m)

PageSpeed performance score

Score 64/100 — improve.

Generic best practice

Open Lighthouse in Chrome DevTools or PageSpeed Insights — the report lists specific opportunities ranked by impact.

Medium · Page speed · Priority 64/100 · Medium (~45m)

First Contentful Paint

Needs improvement: 2.26s.

Generic best practice

First Contentful Paint should be under 1.8s. Inline critical CSS, defer non-critical CSS/JS, and use a CDN.

Medium · Content · Priority 62/100 · Medium (~45m)

E-E-A-T: Expertise

Moderate:

Generic best practice

Show expertise: author bio with credentials, citations to reputable sources, in-depth coverage of the topic, technical accuracy.

Medium · Content · Priority 62/100 · Medium (~45m)

E-E-A-T: Trustworthiness

Moderate:

Generic best practice

Add trust signals: clear contact info, privacy policy, terms of service, customer reviews, security badges, real photos of team/location.

Medium · Meta · Priority 59/100 · Trivial (~5m)

OpenGraph title present

Missing <meta property="og:title">.

Location

Line **4** · `html > head`

```
     3
>    4  <head> <meta charset="UTF-8">
     5      <title>About Expert Skin & Hair Clinic in Delhi-Derma Clinix</title>
```

Generic best practice

Add og:title for social-media link previews. Without it, shared links fall back to the page <title>, which may not be ideal for Facebook/LinkedIn cards.

Code fix

Before:

```
<head>
  <!-- no og:title -->
</head>
```

After:

```
<head>
  <meta property="og:title" content="Your social-friendly title">
</head>
```

Medium · Meta · Priority 59/100 · Trivial (~5m)

OpenGraph description present

Missing <meta property="og:description">.

Location

Line **4** · `html > head`

```
     3
>    4  <head> <meta charset="UTF-8">
     5      <title>About Expert Skin & Hair Clinic in Delhi-Derma Clinix</title>
```

Generic best practice

Add og:description so links shared on Facebook/LinkedIn show a preview blurb. Falls back to meta description if missing, but a tailored one converts better.

Code fix

Before:

```
<head>
  <!-- no og:description -->
</head>
```

After:

```
<head>
  <meta property="og:description" content="Punchy social-share blurb, 90-150 chars.">
</head>
```

Medium · Page speed · Priority 59/100 · Easy (~15m)

Compression enabled

No gzip/brotli content-encoding header.

Generic best practice

Enable gzip or Brotli compression on your server. Typically cuts text payload by 70-80% — easy LCP win.

Medium · Content · Priority 58/100 · Hard (~120m)

E-E-A-T: Experience

Moderate:

Generic best practice

Demonstrate first-hand experience: original photos, personal anecdotes, before/after results, screenshots from the actual product/service.

Medium · Content · Priority 58/100 · Hard (~120m)

E-E-A-T: Authoritativeness

Moderate:

Generic best practice

Build authoritativeness: links from respected sites in your niche, mentions in industry publications, About page detailing your expertise.

Medium · Ssl security · Priority 54/100 · Easy (~15m)

HSTS header present

Missing strict-transport-security header.

Generic best practice

Add Strict-Transport-Security header so browsers refuse HTTP for your domain after the first visit. Bumps SSL Labs grade to A+.

Code fix

After:

```
Strict-Transport-Security: max-age=31536000; includeSubDomains
```

Medium Links Priority 53/100 Easy (~15m)

External links safe

3 external _blank links missing rel=noopener.

Generic best practice

Add rel="noopener noreferrer" to target="_blank" links. Without noopener, the linked page can manipulate your window object — security + perf risk.

Code fix

Before:

```
<a href="https://other.com" target="_blank">External</a>
```

After:

```
<a href="https://other.com" target="_blank" rel="noopener noreferrer">External</a>
```

Medium Content Priority 53/100 Medium (~45m)

Readable prose

Flesch reading ease 22.9 — very difficult.

Generic best practice

Simplify your prose. Shorter sentences (15-20 words), smaller words (1-2 syllables), more paragraph breaks. Target 8th-grade reading level for a general audience.

Medium Geo Priority 48/100 Medium (~45m)

Content provides clear answers

Moderate (5/10).

Generic best practice

Lead each section with a direct, citable answer to the question users would ask. AI engines (ChatGPT, Perplexity) cite the clearest, most specific sentences.

Medium Geo Priority 48/100 Medium (~45m)

High factual density

Moderate (5/10).

Generic best practice

Add concrete facts — numbers, dates, percentages, named sources. Vague prose doesn't get cited; specific data does.

Medium Geo Priority 48/100 Medium (~45m)

Structured for AI extraction

Moderate (5/10).

Generic best practice

Add bulleted lists, sub-headings, definitions, and TL;DR sections. AI engines prefer clearly structured content for extraction.

Medium Geo Priority 48/100 Medium (~45m)

Cites authoritative sources

Moderate (5/10).

Generic best practice

Cite authoritative external sources (links, references). Pages that cite reputable sources are themselves cited more often.

Medium | Headings | Priority 45/100 | Easy (~15m)

Heading hierarchy

Heading levels skipped 4 times.

Generic best practice

Headings should descend logically: H1 → H2 → H3, no jumps. Skipping levels (H1 → H3) breaks accessibility tools and confuses crawlers.

Code fix

Before:

```
<h1>Page Title</h1>
<h3>Section</h3>  <!-- skipped H2 -->
```

After:

```
<h1>Page Title</h1>
<h2>Section</h2>
<h3>Subsection</h3>
```

Low (7)

Low | Technical | Priority 52/100 | Medium (~45m)

Response time acceptable

Fetched in 882 ms — acceptable but slow.

Generic best practice

Server is slow. Investigate: enable a CDN, add page caching, optimise database queries, upgrade hosting. TTFB > 800ms hurts every Core Web Vital.

Low | Images | Priority 49/100 | Medium (~45m)

Modern image formats

3/26 images use modern formats.

Generic best practice

Convert images to WebP or AVIF — typically 25-50% smaller than JPEG/PNG with no visible quality loss. Use <picture> for fallback.

Code fix

Before:

```
<img src="photo.jpg">
```

After:

```
<picture>
  <source type="image/avif" srcset="photo.avif">
  <source type="image/webp" srcset="photo.webp">
  <img src="photo.jpg" alt="...">
</picture>
```

Low | Images | Priority 44/100 | Easy (~15m)

Below-fold images lazy

Only 0 of 26 images use loading="lazy".

Generic best practice

Add loading="lazy" to images below the fold. Saves bandwidth, speeds up initial page load.

Code fix

Before:

```
<img src="below-fold.jpg">
```

After:

```
<img src="below-fold.jpg" loading="lazy" width="..." height="..." alt="...">
```

Low Meta Priority 40/100 Trivial (~5m)

Twitter card present

Missing <meta name="twitter:card">.

Location

Line **4** · `html > head`

```
     3
>    4  <head> <meta charset="UTF-8">
     5      <title>About Expert Skin & Hair Clinic in Delhi-Derma Clinix</title>
```

Generic best practice

Add a twitter:card meta tag to control how Twitter renders shared links. Use "summary_large_image" with an og:image for the best preview.

Code fix

Before:

```
<!-- no twitter:card -->
```

After:

```
<meta name="twitter:card" content="summary_large_image">
```

Low Headings Priority 40/100 Medium (~45m)

Sufficient H2 tags

Only 0 H2 tags.

Generic best practice

Use H2s to break content into scannable sections. Pages with no H2 read as a wall of text — worse for users and for search relevance.

Code fix

Before:

```
<!-- no H2 sections -->
```

After:

```
<h2>First Major Section</h2>
<p>...</p>
<h2>Second Major Section</h2>
<p>...</p>
```

Low Ssl security Priority 39/100 Trivial (~5m)

X-Content-Type-Options

Missing x-content-type-options header.

Generic best practice

Add X-Content-Type-Options: nosniff so browsers honour the Content-Type and don't MIME-sniff for malicious files.

Code fix

After:

```
X-Content-Type-Options: nosniff
```

Low Ssl security Priority 32/100 Medium (~45m)

CSP header present

Missing content-security-policy header.

Generic best practice

Add a Content-Security-Policy header to block XSS by whitelisting allowed script/style sources.

Code fix

After:

```
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-inline'
```