SEO Fix Guide

https://dermaclinix.in/eyebrow-transplant.html
Audit #270 · 2026-04-27 12:53 · Overall 69/100

Total issues: **31** · High: **3** · Medium: **21** · Low: **7**

High (3)

High | Images | Priority 73/100 | Easy (~15m)

Images have dimensions

Only 0/32 images have explicit dimensions.

Location

Line **91** · `header > div.container-menu-desktop > div.wrap-menu-desktop > nav.limiter-menu-desktop > a.logo > img`

```
    90                      <a href="https://www.dermaclinix.in/" class="logo">
>   91                          <img src="https://www.dermaclinix.in/images/logo.webp" alt="Derma Clinix">
    92                      </a>
```

Generic best practice

Set explicit width/height on every <img> to prevent Cumulative Layout Shift. Browser reserves the box before the image loads.

Code fix

Before:

```
<img src="photo.jpg" alt="...">
```

After:

```
<img src="photo.jpg" width="800" height="600" alt="...">
```

High | Meta | Priority 65/100 | Easy (~15m)

OpenGraph image present

Missing <meta property="og:image">.

Location

Line **4** · `html > head`

```
     3
>    4  <head> <meta charset="UTF-8">
     5      <title>DermaClinix | Eyebrow Transplant</title>
```

Generic best practice

Add an Open Graph image so links to this page render as a rich card on social platforms. Use 1200x630 px, JPEG/PNG, under 1MB.

Code fix

Before:

```
<head>
  <!-- no og:image -->
</head>
```

After:

```
<head>
  <meta property="og:image" content="https://yoursite.com/og-image.jpg">
  <meta property="og:image:width" content="1200">
  <meta property="og:image:height" content="630">
</head>
```

High Schema Priority 62/100 Medium (~45m)

JSON-LD structured data present

No JSON-LD scripts found.

Generic best practice

Add structured data (JSON-LD) so search engines understand your content type. Schema can trigger rich results — stars, prices, FAQs — that increase click-through rate.

Code fix

Before:

```
<!-- no JSON-LD -->
```

After:

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "Article",
  "headline": "Page title",
  "author": {"@type": "Person", "name": "Author name"},
  "datePublished": "2026-01-01"
}
</script>
```

Medium (21)

Medium Page speed Priority 73/100 Medium (~45m)

Largest Contentful Paint

Needs improvement: 3.61s.

Generic best practice

Largest Contentful Paint should load within 2.5s. Optimise the largest above-the-fold element: compress hero images, preload critical assets, and eliminate render-blocking resources.

Code fix

Before:

```
<img src="hero.jpg">
```

After:

```
<link rel="preload" as="image" href="hero.webp">
<img src="hero.webp" fetchpriority="high" width="1200" height="600" alt="...">
```

Medium Technical Priority 66/100 Easy (~15m)

Canonical URL present

No canonical link tag found.

Location

Line **4** · `html > head`

```
     3
>    4  <head> <meta charset="UTF-8">
     5      <title>DermaClinix | Eyebrow Transplant</title>
```

Generic best practice

Add a canonical link to prevent duplicate-content issues. It tells search engines which URL is the authoritative version of this page.

Code fix

Before:

```
<head>
  <!-- no canonical -->
</head>
```

After:

```
<head>
  <link rel="canonical" href="https://dermaclinix.in/eyebrow-transplant.html">
</head>
```

Medium Page speed Priority 64/100 Medium (~45m)

First Contentful Paint

Needs improvement: 2.11s.

Generic best practice

First Contentful Paint should be under 1.8s. Inline critical CSS, defer non-critical CSS/JS, and use a CDN.

Medium Content Priority 62/100 Medium (~45m)

E-E-A-T: Expertise

Moderate:

Generic best practice

Show expertise: author bio with credentials, citations to reputable sources, in-depth coverage of the topic, technical accuracy.

Medium Content Priority 62/100 Medium (~45m)

E-E-A-T: Trustworthiness

Moderate:

Generic best practice

Add trust signals: clear contact info, privacy policy, terms of service, customer reviews, security badges, real photos of team/location.

Medium | Meta | Priority 59/100 | Trivial (~5m)

Meta description length

Description is 181 characters — likely truncated.

Location

Line **8** · `html > head > meta:nth-of-type(3)`

```
     7      <meta name="viewport" content="width=device-width, initial-scale=1">
>    8      <meta name="description" content="Enhance your look with expert eyebrow transplant at DermaClinix
in Delhi. Natural?looking results using advanced techniques for fuller, well?shaped brows by experienced
specialists.">
     9   <!--==========================================================================================--
>
```

Generic best practice

Meta description is outside the 120-160 character range. Too short = thin content; too long = truncated by Google.

Code fix

Before:

```
<meta name="description" content="181 chars">
```

After:

```
<meta name="description" content="Rewritten description, 120-160 chars, with the primary keyword and a value
proposition.">
```

Medium | Meta | Priority 59/100 | Trivial (~5m)

OpenGraph title present

Missing <meta property="og:title">.

Location

Line **4** · `html > head`

```
     3
>    4  <head> <meta charset="UTF-8">
     5      <title>DermaClinix | Eyebrow Transplant</title>
```

Generic best practice

Add og:title for social-media link previews. Without it, shared links fall back to the page <title>, which may not be ideal for Facebook/LinkedIn cards.

Code fix

Before:

```
<head>
  <!-- no og:title -->
</head>
```

After:

```
<head>
  <meta property="og:title" content="Your social-friendly title">
</head>
```

Medium Meta Priority 59/100 Trivial (~5m)

OpenGraph description present

Missing <meta property="og:description">.

Location

Line **4** · `html > head`

```
     3
>    4  <head> <meta charset="UTF-8">
     5      <title>DermaClinix | Eyebrow Transplant</title>
```

Generic best practice

Add og:description so links shared on Facebook/LinkedIn show a preview blurb. Falls back to meta description if missing, but a tailored one converts better.

Code fix

Before:

```
<head>
  <!-- no og:description -->
</head>
```

After:

```
<head>
  <meta property="og:description" content="Punchy social-share blurb, 90-150 chars.">
</head>
```

Medium Page speed Priority 59/100 Easy (~15m)

Compression enabled

No gzip/brotli content-encoding header.

Generic best practice

Enable gzip or Brotli compression on your server. Typically cuts text payload by 70-80% — easy LCP win.

Medium Content Priority 58/100 Hard (~120m)

E-E-A-T: Experience

Moderate:

Generic best practice

Demonstrate first-hand experience: original photos, personal anecdotes, before/after results, screenshots from the actual product/service.

Medium Content Priority 58/100 Hard (~120m)

E-E-A-T: Authoritativeness

Moderate:

Generic best practice

Build authoritativeness: links from respected sites in your niche, mentions in industry publications, About page detailing your expertise.

Medium Headings Priority 54/100 Easy (~15m)

Single H1 tag

Found 8 H1 tags — best practice is exactly one.

Location

Line **1042** · `body > section.appointment-section:nth-of-type(2) > div.container > div.row > div.col-12 > h1.no1Heading`

```
  1041                  <div class="col-12 text-center">
> 1042                      <h1 class="no1Heading">
  1043        No. 1 Choice For Hair <br>
```

Generic best practice

Use exactly one <h1> per page. Multiple H1s confuse search engines about the main topic. Demote secondary H1s to H2.

Code fix

Before:

```
<h1>Main Title</h1>
<h1>Secondary Title</h1>
```

After:

```
<h1>Main Title</h1>
<h2>Secondary Title</h2>
```

Medium Ssl security Priority 54/100 Easy (~15m)

HSTS header present

Missing strict-transport-security header.

Generic best practice

Add Strict-Transport-Security header so browsers refuse HTTP for your domain after the first visit. Bumps SSL Labs grade to A+.

Code fix

After:

```
Strict-Transport-Security: max-age=31536000; includeSubDomains
```

Medium Links Priority 53/100 Easy (~15m)

External links safe

3 external _blank links missing rel=noopener.

Generic best practice

Add rel="noopener noreferrer" to target="_blank" links. Without noopener, the linked page can manipulate your window object — security + perf risk.

Code fix

Before:

```
<a href="https://other.com" target="_blank">External</a>
```

After:

```
<a href="https://other.com" target="_blank" rel="noopener noreferrer">External</a>
```

Medium Content Priority 53/100 Medium (~45m)

Readable prose

Flesch reading ease 25.8 — very difficult.

Generic best practice

Simplify your prose. Shorter sentences (15-20 words), smaller words (1-2 syllables), more paragraph breaks. Target 8th-grade reading level for a general audience.

Medium Links Priority 50/100 Medium (~45m)

Healthy internal link count

No internal links on this page.

Generic best practice

Add internal links to related pages on your site. Internal links spread link equity and help users discover related content.

Medium Geo Priority 48/100 Medium (~45m)

Content provides clear answers

Moderate (5/10).

Generic best practice

Lead each section with a direct, citable answer to the question users would ask. AI engines (ChatGPT, Perplexity) cite the clearest, most specific sentences.

Medium Geo Priority 48/100 Medium (~45m)

High factual density

Moderate (5/10).

Generic best practice

Add concrete facts — numbers, dates, percentages, named sources. Vague prose doesn't get cited; specific data does.

Medium Geo Priority 48/100 Medium (~45m)

Structured for AI extraction

Moderate (5/10).

Generic best practice

Add bulleted lists, sub-headings, definitions, and TL;DR sections. AI engines prefer clearly structured content for extraction.

Medium Geo Priority 48/100 Medium (~45m)

Cites authoritative sources

Moderate (5/10).

Generic best practice

Cite authoritative external sources (links, references). Pages that cite reputable sources are themselves cited more often.

Medium Headings Priority 45/100 Easy (~15m)

Heading hierarchy

Heading levels skipped 2 times.

Generic best practice

Headings should descend logically: H1 → H2 → H3, no jumps. Skipping levels (H1 → H3) breaks accessibility tools and confuses crawlers.

Code fix

Before:

```
<h1>Page Title</h1>
<h3>Section</h3>  <!-- skipped H2 -->
```

After:

```
<h1>Page Title</h1>
<h2>Section</h2>
<h3>Subsection</h3>
```

Low (7)

Low Technical Priority 52/100 Medium (~45m)

Response time acceptable

Fetched in 862 ms — acceptable but slow.

Generic best practice

Server is slow. Investigate: enable a CDN, add page caching, optimise database queries, upgrade hosting. TTFB > 800ms hurts every Core Web Vital.

Low Images Priority 49/100 Medium (~45m)

Modern image formats

2/32 images use modern formats.

Generic best practice

Convert images to WebP or AVIF — typically 25-50% smaller than JPEG/PNG with no visible quality loss. Use <picture> for fallback.

Code fix

Before:

```
<img src="photo.jpg">
```

After:

```
<picture>
  <source type="image/avif" srcset="photo.avif">
  <source type="image/webp" srcset="photo.webp">
  <img src="photo.jpg" alt="...">
</picture>
```

Low Images Priority 44/100 Easy (~15m)

Below-fold images lazy

Only 0 of 32 images use loading="lazy".

Generic best practice

Add loading="lazy" to images below the fold. Saves bandwidth, speeds up initial page load.

Code fix

Before:

```
<img src="below-fold.jpg">
```

After:

```
<img src="below-fold.jpg" loading="lazy" width="..." height="..." alt="...">
```

Low Meta Priority 40/100 Trivial (~5m)

Twitter card present

Missing <meta name="twitter:card">.

Location

Line **4** · `html > head`

```
     3
>    4  <head> <meta charset="UTF-8">
     5      <title>DermaClinix | Eyebrow Transplant</title>
```

Generic best practice

Add a twitter:card meta tag to control how Twitter renders shared links. Use "summary_large_image" with an og:image for the best preview.

Code fix

Before:

```
<!-- no twitter:card -->
```

After:

```
<meta name="twitter:card" content="summary_large_image">
```

Low Headings Priority 40/100 Medium (~45m)

Sufficient H2 tags

Only 0 H2 tags.

Generic best practice

Use H2s to break content into scannable sections. Pages with no H2 read as a wall of text — worse for users and for search relevance.

Code fix

Before:

```
<!-- no H2 sections -->
```

After:

```
<h2>First Major Section</h2>
<p>...</p>
<h2>Second Major Section</h2>
<p>...</p>
```

Low Ssl security Priority 39/100 Trivial (~5m)

X-Content-Type-Options

Missing x-content-type-options header.

Generic best practice

Add X-Content-Type-Options: nosniff so browsers honour the Content-Type and don't MIME-sniff for malicious files.

Code fix

After:

```
X-Content-Type-Options: nosniff
```

Low Ssl security Priority 32/100 Medium (~45m)

CSP header present

Missing content-security-policy header.

Generic best practice

Add a Content-Security-Policy header to block XSS by whitelisting allowed script/style sources.

Code fix

After:

```
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-inline'
```