# SEO Fix Guide

https://www.revivaskinandsurgery.com/service/vaginal-tightning.html
Audit #412 · 2026-06-05 04:50 · Overall 77/100

Total issues: **29** · High: **5** · Medium: **18** · Low: **6**

## High (5)

High | Page speed | Priority 83/100 | Medium (~45m)

### Largest Contentful Paint

Poor: 7.58s.

#### Generic best practice

Largest Contentful Paint should load within 2.5s. Optimise the largest above-the-fold element: compress hero images, preload critical assets, and eliminate render-blocking resources.

#### Code fix

Before:

```
<img src="hero.jpg">
```

After:

```
<link rel="preload" as="image" href="hero.webp">
<img src="hero.webp" fetchpriority="high" width="1200" height="600" alt="...">
```

High | Page speed | Priority 74/100 | Medium (~45m)

### First Contentful Paint

Poor: 4.66s.

#### Generic best practice

First Contentful Paint should be under 1.8s. Inline critical CSS, defer non-critical CSS/JS, and use a CDN.

High | Headings | Priority 73/100 | Easy (~15m)

### H1 tag present

No <h1> found.

#### Location

Line **83** · `html > body.font-sans`

```
    82
>   83  <body class="font-sans text-black bg-[#EBEBD3]">
    84
```

#### Generic best practice

Every page needs exactly one <h1> tag — the primary heading. It tells both users and search engines what the page is about, and is the strongest on-page ranking signal.

#### Code fix

Before:

```
<body>
  <div>Page content with no H1</div>
</body>
```

After:

```
<body>
  <h1>Your Main Page Heading</h1>
  <!-- rest of content -->
</body>
```

High Images Priority 73/100 Easy (~15m)

### Images have dimensions

Only 0/2 images have explicit dimensions.

#### Location

Line **96** · `body.font-sans > header.fixed > div.container > div.flex > a > img`

```
    95        <a href="https://www.revivaskinandsurgery.com/">
>   96          <img src="https://www.revivaskinandsurgery.com/assets/Reviva_logo_.png" alt="Reviva Skin and
Surgery Clinic">
    97        </a>
```

#### Generic best practice

Set explicit width/height on every <img> to prevent Cumulative Layout Shift. Browser reserves the box before the image loads.

#### Code fix

Before:

```
<img src="photo.jpg" alt="...">
```

After:

```
<img src="photo.jpg" width="800" height="600" alt="...">
```

High Meta Priority 65/100 Easy (~15m)

### OpenGraph image present

Missing <meta property="og:image">.

#### Location

Line **3** · `html > head`

```
     2  <html lang="en">
>    3  <head>
     4      <meta charset="UTF-8">
```

#### Generic best practice

Add an Open Graph image so links to this page render as a rich card on social platforms. Use 1200x630 px, JPEG/PNG, under 1MB.

#### Code fix

Before:

```
<head>
  <!-- no og:image -->
</head>
```

After:

```
<head>
  <meta property="og:image" content="https://yoursite.com/og-image.jpg">
  <meta property="og:image:width" content="1200">
  <meta property="og:image:height" content="630">
</head>
```

## Medium (18)

Medium · Meta · Priority 68/100 · Trivial (~5m)

### Title length

Title is 81 characters — likely truncated in SERPs.

#### Location

Line **8** · `html > head > title`

```
     7
>    8    <title>Vaginal Tightening Treatment in Noida | Reviva Skin & Surgery | Dr. Aarushi Tyagi</title>
     9    <meta name="author" content="genesisvirtue">
```

#### Generic best practice

Title is outside the 30-60 character sweet spot. Google truncates titles longer than ~60 chars in search results, hiding your keywords. Keep the primary keyword near the start.

#### Code fix

Before:

```
<title>81 chars</title>
```

After:

```
<title>Shortened title — primary keyword first (?60 chars)</title>
```

Medium · Technical · Priority 66/100 · Easy (~15m)

### Canonical URL present

No canonical link tag found.

#### Location

Line **3** · `html > head`

```
     2  <html lang="en">
>    3  <head>
     4      <meta charset="UTF-8">
```

#### Generic best practice

Add a canonical link to prevent duplicate-content issues. It tells search engines which URL is the authoritative version of this page.

#### Code fix

Before:

```
<head>
  <!-- no canonical -->
</head>
```

After:

```
<head>
  <link rel="canonical" href="https://www.revivaskinandsurgery.com/service/vaginal-tightning.html">
</head>
```

Medium · Page speed · Priority 64/100 · Medium (~45m)

### PageSpeed performance score

Score 61/100 — improve.

#### Generic best practice

Open Lighthouse in Chrome DevTools or PageSpeed Insights — the report lists specific opportunities ranked by impact.

Medium · Content · Priority 62/100 · Medium (~45m)

### E-E-A-T: Expertise

Moderate:

#### Generic best practice

Show expertise: author bio with credentials, citations to reputable sources, in-depth coverage of the topic, technical accuracy.

Medium Content Priority 62/100 Medium (~45m)

### E-E-A-T: Trustworthiness

Moderate:

#### Generic best practice

Add trust signals: clear contact info, privacy policy, terms of service, customer reviews, security badges, real photos of team/location.

Medium Meta Priority 59/100 Trivial (~5m)

### OpenGraph title present

Missing <meta property="og:title">.

#### Location

Line **3** · `html > head`

```
     2  <html lang="en">
>    3  <head>
     4      <meta charset="UTF-8">
```

#### Generic best practice

Add og:title for social-media link previews. Without it, shared links fall back to the page <title>, which may not be ideal for Facebook/LinkedIn cards.

#### Code fix

Before:

```
<head>
  <!-- no og:title -->
</head>
```

After:

```
<head>
  <meta property="og:title" content="Your social-friendly title">
</head>
```

Medium Meta Priority 59/100 Trivial (~5m)

### OpenGraph description present

Missing <meta property="og:description">.

#### Location

Line **3** · `html > head`

```
     2  <html lang="en">
>    3  <head>
     4      <meta charset="UTF-8">
```

#### Generic best practice

Add og:description so links shared on Facebook/LinkedIn show a preview blurb. Falls back to meta description if missing, but a tailored one converts better.

#### Code fix

Before:

```
<head>
  <!-- no og:description -->
</head>
```

After:

```
<head>
  <meta property="og:description" content="Punchy social-share blurb, 90-150 chars.">
</head>
```

Medium | Page speed | Priority 59/100 | Easy (~15m)

### Compression enabled

No gzip/brotli content-encoding header.

#### Generic best practice

Enable gzip or Brotli compression on your server. Typically cuts text payload by 70-80% — easy LCP win.

Medium | Content | Priority 58/100 | Hard (~120m)

### E-E-A-T: Experience

Moderate:

#### Generic best practice

Demonstrate first-hand experience: original photos, personal anecdotes, before/after results, screenshots from the actual product/service.

Medium | Content | Priority 58/100 | Hard (~120m)

### E-E-A-T: Authoritativeness

Moderate:

#### Generic best practice

Build authoritativeness: links from respected sites in your niche, mentions in industry publications, About page detailing your expertise.

Medium | Sitemap | Priority 56/100 | Trivial (~5m)

### robots.txt accessible

No robots.txt found at https://www.revivaskinandsurgery.com/robots.txt

#### Generic best practice

Create a /robots.txt file. Tells crawlers which pages to skip and where your sitemap lives.

#### Code fix

Before:

```
// File missing: /robots.txt
```

After:

```
User-agent: *
Allow: /

Sitemap: https://www.revivaskinandsurgery.com/service/vaginal-tightning.htmlsitemap.xml
```

Medium | Schema | Priority 55/100 | Easy (~15m)

### Recommended schema types used

No recommended schema types found (Organization, WebSite, BreadcrumbList, Article, Product).

#### Generic best practice

Add at least Organization or WebSite schema so Google understands your brand entity. These are the highest-impact-to-effort schema additions for any site.

#### Code fix

Before:

```
<!-- no Organization/WebSite schema -->
```

After:

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "Organization",
  "name": "Your Brand",
  "url": "https://yoursite.com/",
  "logo": "https://yoursite.com/logo.png"
}
</script>
```

Medium | Ssl security | Priority 54/100 | Easy (~15m)

### HSTS header present

Missing strict-transport-security header.

#### Generic best practice

Add Strict-Transport-Security header so browsers refuse HTTP for your domain after the first visit. Bumps SSL Labs grade to A+.

#### Code fix

After:

```
Strict-Transport-Security: max-age=31536000; includeSubDomains
```

Medium | Content | Priority 53/100 | Medium (~45m)

### Readable prose

Flesch reading ease 29.7 — very difficult.

#### Generic best practice

Simplify your prose. Shorter sentences (15-20 words), smaller words (1-2 syllables), more paragraph breaks. Target 8th-grade reading level for a general audience.

Medium | Geo | Priority 48/100 | Medium (~45m)

### Content provides clear answers

Moderate (5/10).

#### Generic best practice

Lead each section with a direct, citable answer to the question users would ask. AI engines (ChatGPT, Perplexity) cite the clearest, most specific sentences.

Medium | Geo | Priority 48/100 | Medium (~45m)

### High factual density

Moderate (5/10).

#### Generic best practice

Add concrete facts — numbers, dates, percentages, named sources. Vague prose doesn't get cited; specific data does.

Medium | Geo | Priority 48/100 | Medium (~45m)

### Structured for AI extraction

Moderate (5/10).

#### Generic best practice

Add bulleted lists, sub-headings, definitions, and TL;DR sections. AI engines prefer clearly structured content for extraction.

Medium | Geo | Priority 48/100 | Medium (~45m)

### Cites authoritative sources

Moderate (5/10).

#### Generic best practice

Cite authoritative external sources (links, references). Pages that cite reputable sources are themselves cited more often.

## Low (6)

Low Images Priority 49/100 Medium (~45m)

### Modern image formats

1/2 images use modern formats.

#### Generic best practice

Convert images to WebP or AVIF — typically 25-50% smaller than JPEG/PNG with no visible quality loss. Use <picture> for fallback.

#### Code fix

Before:

```
<img src="photo.jpg">
```

After:

```
<picture>
  <source type="image/avif" srcset="photo.avif">
  <source type="image/webp" srcset="photo.webp">
  <img src="photo.jpg" alt="...">
</picture>
```

Low Meta Priority 40/100 Trivial (~5m)

### Twitter card present

Missing <meta name="twitter:card">.

#### Location

Line **3** · `html > head`

```
     2  <html lang="en">
>    3  <head>
     4      <meta charset="UTF-8">
```

#### Generic best practice

Add a twitter:card meta tag to control how Twitter renders shared links. Use "summary_large_image" with an og:image for the best preview.

#### Code fix

Before:

```
<!-- no twitter:card -->
```

After:

```
<meta name="twitter:card" content="summary_large_image">
```

Low Headings Priority 40/100 Medium (~45m)

### Sufficient H2 tags

Only 1 H2 tags.

#### Generic best practice

Use H2s to break content into scannable sections. Pages with no H2 read as a wall of text — worse for users and for search relevance.

#### Code fix

Before:

```
<!-- no H2 sections -->
```

After:

```
<h2>First Major Section</h2>
<p>...</p>
<h2>Second Major Section</h2>
<p>...</p>
```

Low | Ssl security | Priority 39/100 | Trivial (~5m)

### X-Content-Type-Options

Missing x-content-type-options header.

#### Generic best practice

Add X-Content-Type-Options: nosniff so browsers honour the Content-Type and don't MIME-sniff for malicious files.

#### Code fix

After:

```
X-Content-Type-Options: nosniff
```

Low | Sitemap | Priority 37/100 | Trivial (~5m)

### Sitemap referenced

robots.txt does not reference a sitemap.

#### Generic best practice

Reference your sitemap from robots.txt so crawlers can find it without guessing.

#### Code fix

After:

```
User-agent: *
Allow: /

Sitemap: https://yoursite.com/sitemap.xml
```

Low | Ssl security | Priority 32/100 | Medium (~45m)

### CSP header present

Missing content-security-policy header.

#### Generic best practice

Add a Content-Security-Policy header to block XSS by whitelisting allowed script/style sources.

#### Code fix

After:

```
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-inline'
```