

# SEO Fix Guide

https://jointefforts.in/safe-mobility-for-seniors-how-physiotherapy-reduces-fall-risk/  
Audit #624 · 2026-06-11 02:56 · Overall 79/100

Total issues: 25 · Critical: 1 · High: 5 · Medium: 14 · Low: 5

## Critical (1)

CriticalMetaPriority 97/100Trivial (~5m)

Title tag present

No <title> tag was found in <head>.

Location

Line 3 · html > head

>2<html lang="en-US" prefix="og: https://ogp.me/ns#">3<head>4<meta charset="UTF-8" />

Generic best practice

Every page must have a unique, descriptive <title> tag inside <head>. 30-60 characters, primary keyword first.

Code fix

Before:

<head><!-- no <title> tag --></head>

After:

<head><title>Your Page Title (30-60 chars)</title></head>

## High (5)

HighPage speedPriority 83/100Medium (~45m)

Largest Contentful Paint

Poor: 15.1s.

Generic best practice

Largest Contentful Paint should load within 2.5s. Optimise the largest above-the-fold element: compress hero images, preload critical assets, and eliminate render-blocking resources.

Code fix

Before:



After:

<link rel="preload" as="image" href="hero.webp">

High Page speed Priority 78/100 Easy (~15m)

### Cumulative Layout Shift

Poor: 1.001.

#### Generic best practice

Cumulative Layout Shift should be under 0.1. Set explicit width/height on images, reserve space for embeds and ads, and avoid late-loading fonts that re-flow text.

#### Code fix

Before:

```

```

After:

```

```

High Page speed Priority 74/100 Medium (~45m)

### PageSpeed performance score

Score 28/100 — poor.

#### Generic best practice

Open Lighthouse in Chrome DevTools or PageSpeed Insights — the report lists specific opportunities ranked by impact.

High Page speed Priority 74/100 Medium (~45m)

### First Contentful Paint

Poor: 5.29s.

#### Generic best practice

First Contentful Paint should be under 1.8s. Inline critical CSS, defer non-critical CSS/JS, and use a CDN.

High Images Priority 64/100 Easy (~15m)

### Images have alt text

1 of 4 images missing alt attribute.

#### Location

Line 57 · html > head > noscript > img

```
56 src="https://www.facebook.com/tr?id=1246315193134790&ev=PageView&noscript=1"
> 57 /></noscript>
58 <!-- End Meta Pixel Code -->
```

#### Generic best practice

Every <img> needs an alt attribute. Alt text helps screen readers, image search ranking, and shows when the image fails to load. Use alt="" only for purely decorative images.

#### Code fix

Before:

```

```

After:

```

```

## Medium (14)

Medium Content Priority 62/100 Medium (~45m)

### E-E-A-T: Expertise

Moderate:

#### Generic best practice

Show expertise: author bio with credentials, citations to reputable sources, in-depth coverage of the topic, technical accuracy.

Medium Content Priority 62/100 Medium (~45m)

### E-E-A-T: Trustworthiness

Moderate:

#### Generic best practice

Add trust signals: clear contact info, privacy policy, terms of service, customer reviews, security badges, real photos of team/location.

Medium Page speed Priority 59/100 Easy (~15m)

### Compression enabled

No gzip/brotli content-encoding header.

#### Generic best practice

Enable gzip or Brotli compression on your server. Typically cuts text payload by 70-80% — easy LCP win.

Medium Images Priority 59/100 Medium (~45m)

### Modern image formats

No images use webp/avif.

#### Generic best practice

Convert images to WebP or AVIF — typically 25-50% smaller than JPEG/PNG with no visible quality loss. Use <picture> for fallback.

#### Code fix

Before:

```

```

After:

```
<picture>
  <source type="image/avif" srcset="photo.avif">
  <source type="image/webp" srcset="photo.webp">
  
</picture>
```

Medium Content Priority 58/100 Hard (~120m)

### E-E-A-T: Experience

Moderate:

#### Generic best practice

Demonstrate first-hand experience: original photos, personal anecdotes, before/after results, screenshots from the actual product/service.

Medium Content Priority 58/100 Hard (~120m)

### E-E-A-T: Authoritativeness

Moderate:

#### Generic best practice

Build authoritativeness: links from respected sites in your niche, mentions in industry publications, About page detailing your expertise.

Medium Ssl security Priority 54/100 Easy (~15m)

### HSTS header present

Missing strict-transport-security header.

#### Generic best practice

Add Strict-Transport-Security header so browsers refuse HTTP for your domain after the first visit. Bumps SSL Labs grade to A+.

#### Code fix

After:

```
Strict-Transport-Security: max-age=31536000; includeSubDomains
```

Medium Links Priority 53/100 Easy (~15m)

### External links safe

1 external \_blank links missing rel=noopener.

#### Generic best practice

Add rel="noopener noreferrer" to target="\_blank" links. Without noopener, the linked page can manipulate your window object — security + perf risk.

#### Code fix

Before:

```
<a href="https://other.com" target="_blank">External</a>
```

After:

```
<a href="https://other.com" target="_blank" rel="noopener noreferrer">External</a>
```

Medium Content Priority 53/100 Medium (~45m)

### Readable prose

Flesch reading ease -350.6 — very difficult.

#### Generic best practice

Simplify your prose. Shorter sentences (15-20 words), smaller words (1-2 syllables), more paragraph breaks. Target 8th-grade reading level for a general audience.

Medium Geo Priority 48/100 Medium (~45m)

### Content provides clear answers

Moderate (5/10).

#### Generic best practice

Lead each section with a direct, citable answer to the question users would ask. AI engines (ChatGPT, Perplexity) cite the clearest, most specific sentences.

Medium Geo Priority 48/100 Medium (~45m)

### High factual density

Moderate (5/10).

#### Generic best practice

Add concrete facts — numbers, dates, percentages, named sources. Vague prose doesn't get cited; specific data does.

Medium Geo Priority 48/100 Medium (~45m)

### Structured for AI extraction

Moderate (5/10).

#### Generic best practice

Add bulleted lists, sub-headings, definitions, and TL;DR sections. AI engines prefer clearly structured content for extraction.

Medium Geo Priority 48/100 Medium (~45m)

### Cites authoritative sources

Moderate (5/10).

#### Generic best practice

Cite authoritative external sources (links, references). Pages that cite reputable sources are themselves cited more often.

Medium Headings Priority 45/100 Easy (~15m)

### Heading hierarchy

Heading levels skipped 2 times.

#### Generic best practice

Headings should descend logically: H1 → H2 → H3, no jumps. Skipping levels (H1 → H3) breaks accessibility tools and confuses crawlers.

#### Code fix

Before:

```
<h1>Page Title</h1>
<h3>Section</h3>  <!-- skipped H2 -->
```

After:

```
<h1>Page Title</h1>
<h2>Section</h2>
<h3>Subsection</h3>
```

## Low (5)

Low Technical Priority 52/100 Medium (~45m)

### Response time acceptable

Fetches in 1897 ms — acceptable but slow.

#### Generic best practice

Server is slow. Investigate: enable a CDN, add page caching, optimise database queries, upgrade hosting. TTFB > 800ms hurts every Core Web Vital.

Low Images Priority 44/100 Easy (~15m)

### Below-fold images lazy

Only 0 of 4 images use loading="lazy".

#### Generic best practice

Add loading="lazy" to images below the fold. Saves bandwidth, speeds up initial page load.

#### Code fix

Before:

```

```

After:

```

```

Low Headings Priority 40/100 Medium (~45m)

## Sufficient H2 tags

Only 0 H2 tags.

### Generic best practice

Use H2s to break content into scannable sections. Pages with no H2 read as a wall of text — worse for users and for search relevance.

### Code fix

Before:

```
<!-- no H2 sections -->
```

After:

```
<h2>First Major Section</h2>
<p>...</p>
<h2>Second Major Section</h2>
<p>...</p>
```

Low Ssl security Priority 39/100 Trivial (~5m)

## X-Content-Type-Options

Missing x-content-type-options header.

### Generic best practice

Add X-Content-Type-Options: nosniff so browsers honour the Content-Type and don't MIME-sniff for malicious files.

### Code fix

After:

```
X-Content-Type-Options: nosniff
```

Low Ssl security Priority 32/100 Medium (~45m)

## CSP header present

Missing content-security-policy header.

### Generic best practice

Add a Content-Security-Policy header to block XSS by whitelisting allowed script/style sources.

### Code fix

After:

```
Content-Security-Policy: default-src 'self'; script-src 'self' 'unsafe-inline'
```