

SEO Audit Comparison

Base #194 (2026-04-27 11:56) — <https://www.dermaclinix.in/bio-enhanced-simultaneous-transplant-dermaclinix-patent.html>
Target #257 (2026-04-27 12:46) — <https://dermaclinix.in/bio-enhanced-simultaneous-transplant-dermaclinix-patent.html>

Overall: **72 → 70 (-2, degraded)** · 50m 58s between audits

Per-category

Category	Base	Target	Delta
Content	60	60	0
Geo	50	50	0
Headings	82	82	0
Hreflang	100	100	0
Images	63	63	0
Links	88	63	-25
Meta	66	66	0
Mobile	100	100	0
Page Speed	86	79	-7
Schema	0	0	0
Sitemap	100	100	0
Ssl Security	80	80	0
Technical	89	89	0

Fixed (0)

None.

Regressed (2)

Check	Category	Base	Target
First Contentful Paint fcp_within_threshold	page_speed	pass — 1.69s	warning — 2.11s
Healthy internal link count internal_link_count	links	pass — 65	warning

New issues (0)

None.

Resolved issues (0)

None.

Value changes

Check	Base value	Target value
Response time acceptable response_time_ok	830 ms	865 ms
PageSpeed performance score pagespeed_score	91/100	84/100

Check	Base value	Target value
Largest Contentful Paint lcp_within_threshold	2.93s	3.83s
Cumulative Layout Shift cls_within_threshold	0.027	0